

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S92	1	"6247141".pn. and fail\$8	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:31
S91	6695	709/202,203.ccls.	USPAT	OR	OFF	2009/05/31 20:31
S90	11923	(707/1,3,4,200,202).CCLS.	USPAT	OR	OFF	2009/05/31 20:31
S93	1	"20020091881".pn. and fail\$8	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:32
S94	4	("6490610".pn. "6411991". PN.) and fail\$8	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:34
S97	0	{@ad< "20010110" @rlad< "20010110") and (can \$1t can\$1not fail\$8) with access\$4 near4 database with server\$1 near2 detect\$7	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:54
S96	1	{@ad< "20010110" @rlad< "20010110") and (can \$1 can\$1not fail\$8) with access\$4 near4 database with server\$1 near2 detect\$7	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:54
S95	0	{@ad< "20010110" @rlad< "20010110") and fail \$8 with access\$4 near4 database with server\$1 near2 detect\$7	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:54
S99	2	{@ad< "20010110" @rlad< "20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database with server\$1 with detect\$7	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:55

S98	0	{@ad<"20010110" @rlad<"20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database with server\$1 near2 detect\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:55
S101	0	{@ad<"20010110" @rlad<"20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database with server\$1 near4 (detect\$8 recogniz\$9)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:57
S100	114	{@ad<"20010110" @rlad<"20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database with server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:57
S103	6	{@ad<"20010110" @rlad<"20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database same server\$1 with (detect\$8 recogniz\$9)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:59
S102	4	{@ad<"20010110" @rlad<"20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database with server\$1 with (detect\$8 recogniz\$9)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 20:59
S104	7	{@ad<"20010110" @rlad<"20010110") and fail \$8 same server\$1 with send \$4 with (other different another) near2 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:00
S105	2	"6859834".pn. and fail\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:01
S107	0	"20020091881".pn. and fail \$1over	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:03
S106	0	"20020091881".pn. and failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:03

S111	7	{(@ad<"20010110" @rlad<"20010110") and fail \$8 same server\$1 with (forward\$4 send\$4) with (other different another) near2 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:06
S109	425	{(@ad<"20010110" @rlad<"20010110") and server\$1 with (forward\$4 send \$4) with (other different another) near2 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:06
S108	330	{(@ad<"20010110" @rlad<"20010110") and server\$1 with send\$4 with (other different another) near2 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:06
S115	61	S113 not S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:07
S114	63	S113 not S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:07
S113	68	{(@ad<"20010110" @rlad<"20010110") and fail \$8 same server\$1 with (forward\$4 send\$4) with (other different another second) near2 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:07
S116	177	{(@ad<"20010110" @rlad<"20010110") and (can \$1t can\$1not fail\$8) with access\$4 near6 database same server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:10
S118	47	{(@ad<"20010110" @rlad<"20010110") and server\$1 near4 (can\$1t can \$1not fail\$8) near7 access\$4 near6 database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:11
S117	63	{(@ad<"20010110" @rlad<"20010110") and server\$1 near4 (can\$1t can \$1not fail\$8) with access\$4 near6 database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/31 21:11

S119	59	((@ad<"20010110" @rlad<"20010110") and server\$1 near4 (can\$1t can \$1not fail\$8) with access\$4 near6 database	US-PGPUB; USPAT	OR	OFF	2009/05/31 21:37
S121	1	"20020091881".pn. and second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 17:36
S120	0	"20020091881".pn. and generat\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 17:36
S122	2	"20020091881".pn. and (respon\$8 or process\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04 13:23

6/ 4/ 09 3:51:18 PM

C:\Documents and Settings\AGold\My Documents\EAST\Workspaces\10042799.wsp